



GUIDELINES FOR

Operating Private Equipment at Fires

Edition 1 – June 2016

This publication supports the use of the *Guidelines for Operating Private Equipment at Fires* issued by CFA. It is an extraction of Section 4 of those Guidelines. Before using the checklists, an understanding of those Guidelines are essential. An electronic copy can be found on CFA website at cfa.vic.gov.au or a hard copy can be obtained from your local CFA District Headquarters.

© State of Victoria (Country Fire Authority) 2016



The work contained in this publication is licensed under a Creative Commons Attribution 4.0 licence, http://creativecommons.org/licenses/by/4.0/. You are free to re-use the work under that licence, on the condition that you credit the State of Victoria (Country Fire Authority) as author, indicate if changes were made and comply with the other licence terms. The licence does not apply to:

- any branding, including Country Fire Authority (CFA) and Government logos;
- any photographs and images; and
- any content supplied by third parties.

CFA makes this information available on the understanding that you take reasonable care when using it. If you have any uncertainty about the application of the information to your particular circumstances you should obtain professional advice.

CFA does not accept responsibility for how you apply or rely on the information in this publication.

First published June 2016 in Australia by the Country Fire Authority – Victoria, CFA Headquarters, 8 Lakeside Drive, Burwood East, Victoria 3151.

For any matters relating to this publication, contact: Manager Wildfire Planning, Fire and Emergency Management, CFA Headquarters, 8 Lakeside Drive, Burwood East, Victoria 3151.



4.1 Ten Standard Fire Orders

- 1 Stay in contact
- 2 Watch the fire
- 3 Know the country
- 4 Escape route
- 5 Park in a safe place
- 6 Check instructions
- 7 Use an anchor point
- 8 Wear safety gear
- 9 Keep calm
- 10 Take care

СГА

4.2 WATCHOUT on the Fireline

Weather	 dominates fire behaviour, so keep informed
Actions	 must be based on present and expected fire behaviour
Try out	 at least two safe escape routes
Communicate	 your supervisor, your crew and adjoining crews
Hazards	 beware of variations in fuels and steep slopes
Observe	 changes in wind speed and direction, temperature, humidity and cloud
Understand	– your instructions, make sure you are understood
Think	 clearly, be alert and act decisively before situation becomes critical



4.3 LACES

Lookouts	they h behav	rews shall LOOKOUT and ensure that ave a clear appreciation of current fire iour, location and size in relationship to ocation.
Awareness	chang resulti	hters shall be aware of the impact of les in fire behaviour including those ng from variations to fuel, weather and raphy and of other fireground hazards.
Communications	safety	crews shall discuss and address issues and ensure that the established nunications plan is implemented.
Escape Routes	and m The su contin	st two escape routes should be agreed hade known to all relevant personnel. uitability of an escape route should be ually reviewed to ensure it hs effective.
S afety Zones	knowr need t zone s	r zones should be identified and made to all relevant firefighters. Firefighters to consider escape time and safety size requirements that will change behaviour changes.



4.4 Is Your Vehicle Ready?

CFA

1	When loaded is the weight of your vehicle less than the rated Gross Vehicle Mass?	Yes 🗖	No 🗖
2	Is the load including tank, pump and fittings properly secured?	Yes 🗖	No 🗖
3	Is your vehicle roadworthy? (To VicRoads standards.)	Yes 🗖	No 🗖
4	Are the vehicle and pump mechanically sound?	Yes 🗖	No 🗖
5	Have the vehicle and pump been serviced regularly?	Yes 🗖	No 🗖
6	Is your vehicle fitted with a UHF Radio transceiver?	Yes 🗖	No 🗖
7	Is there a first-aid kit in the vehicle?	Yes 🗖	No 🗖
8	Is there a woollen blanket for fire protection in the vehicle?	Yes 🗖	No 🗖
9	Is your vehicle fitted with an amber rotating beacon?	Yes 🗖	No 🗖
10	Is your vehicle fitted with heatshields? (If required.)	Yes 🗖	No 🗖





4.5 Do You Have the Correct Personal Protective Clothing and Equipment?

1	Cotton or natural fibre overalls with long sleeves?	Yes 🗖	No 🗖
	or		
	Natural fibre work shirt and trouser ensemble?	Yes 🗖	No 🗖
2	Sturdy leather boots?	Yes 🗖	No 🗖
3	Leather work gloves?	Yes 🗖	No 🗖
4	Industrial type helmet with chin strap?	Yes 🗖	No 🗖
5	Industrial type goggles?	Yes 🗖	No 🗖
6	Respirator or dust mask?	Yes 🗖	No 🗖
7	Hearing protection? (If required.)	Yes 🗖	No 🗖
8	High visibility vest? (If required.)	Yes 🗖	No 🗖
9	Drinking water/food/snacks?	Yes 🗖	No 🗖



4.6 Are You Ready to Deploy?





(Office use only) Sticker No.

4.7 Traffic Management Point Access Sticker



Application for CFA Private Equipment Traffic Management Point Access Sticker

Applicant name	Contact Number	
Address		
Vehicle Registration	Make and Model	

The private fire fighting equipment identified above meets the following requirements:

Vehicle Checklist		YES
When loaded, is the weight of your vehicle less than the rated Gross Vehicle Mass?		
Is the load including tank, pump and fittings properly secured?		
Is your vehicle roadworthy? (To VicRoads standards)		
Are the vehicle and pump mechanically sound?		
Have the vehicle and pump been serviced regularly?		
Is your vehicle fitted with a UHF Radio transceiver?		
Is there a first aid kit in the vehicle?		
Is there a woollen blanket for fire protection in the vehicle?		
Is your vehicle fitted with an amber rotating beacon?		
Is your vehicle fitted with heat shields? N/A (required where people are working from the back of the vehicle)		

Terms and Conditions

- The applicant has read and understood the CFA 'Guidelines for Operating Private Equipment at Fires'. <u>http://www.cfa.vic.gov.au/fm_files/attachments/Publications/op_priv_equip_quidelines.pdf</u>
- The issuing of a TMP Access sticker does not mean that CFA deems the above equipment as safe and/or roadworthy. This is the responsibility of the applicant.
- The vehicle registration must be written on the TMP access sticker for it to be valid.
- TMP staff have the right to refuse access.
- You accept that your safety is your responsibility.

Signed

Applicant

Date _

Approved

Operations Manager

Date

Please return signed application to your nearest District office



4.8 Equipment Specifications and Guidelines

4.8.1 Slip-on unit

Item	Specs.	Guideline
Water carrying capacity		300 litres minimum, 400 litres preferred.
Pump	5 hp	Engine rated at 3.5 kW (5 hp). Able to develop flow of 50 litres per minute at a branch pressure of 250 kpa. Self-filling capability.
Safety		 Lap sash Seat belts for all crew when travelling. 1 x woollen blanket per cab crew member. 1 x portable first aid kit. 1 x VHF radio with CFA frequencies. Work lights. Optional: Warning lights or rotating beacon
		and Audible warning device – see FIB Guidelines 2011.
Delivery hose	30 m of 19 mm hose	 30 m of 19 mm hose with 38 mm external lug couplings on live reel. 2 x 25 mm x 30 m layflat hose.
Suction hose		 Hard Suction hose complete with strainer to match operation of the pump.
Additives		Wetting Agent but preference towards CFA approved Class A foam.
Small gear		1 x 38 mm branches.
Hand tools		 2 x rake hoes. 1 x shovel. 1 x chainsaw with fuels. Tools and safety gear .
Fuel		10 litres pump fuel.
Other		 1 x 9 litres knapsack. Ration Packs for the crew sufficient for a shift. Hydrate and drinking water sufficient for a shift (refer to CFA Policy).

Remember:

- Everyone at the fire has responsibility for safety.
- Accept responsibility for your decisions and actions.
- Ensure someone from CFA at the fire is aware of your presence and what tasks you are undertaking.
- Work cooperatively with the emergency services and others.
- Do not work alone team up with others.
- Be aware of the situation around you and any hazards likely to cause you harm.
- Wear appropriate personal protective clothing.
- Know and work within your personal limits and ability.
- Ensure your equipment is well maintained and you know and operate it within its limits and capability.
- Ensure the tasks you undertake match your capability and that of your equipment.
- Maintain communications.